	Application No.	Applicant(s)
	10/644,393	LUNDSTROM ET AL.
Notice of Allowability	Examiner	Art Unit
	Marina Kramskaya	2858
The MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT F of the Office or upon petition by the applicant. See 37 CFR 1.31	S (OR REMAINS) CLOSED in this ap ) or other appropriate communicatio RIGHTS. This application is subject	oplication. If not included n will be mailed in due course. THIS
1. $\boxtimes$ This communication is responsive to <u>the documents filed</u>	<u>4/11/05</u> .	
2. ☑ The allowed claim(s) is/are <u>7 and 8</u> .		
3. 🖾 The drawings filed on 18 August 2003 are accepted by the	e Examiner.	
4.	re been received. re been received in Application No cocuments have been received in this representation to file a reply MENT of this application.  rest be submitted. reson's Patent Drawing Review (PTO _ rest Amendment / Comment or in the re 1.84(c)) should be written on the draw the header according to 37 CFR 1.121 posit of BIOLOGICAL MATERIAL	r national stage application from the complying with the requirements  R'S AMENDMENT or NOTICE OF ation is deficient.  -948) attached  Office action of ings in the front (not the back) of (d).  must be submitted. Note the
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5 Notice of Informal	Potent Application (PTO 152)
<ol> <li>□ Notice of References Cited (P10-892)</li> <li>□ Notice of Draftperson's Patent Drawing Review (PT0-948)</li> </ol>		Patent Application (PTO-152)  / (PTO-413)
	Paper No./Mail Da	nte
<ol> <li>Information Disclosure Statements (PTO-1449 or PTO/SB/ Paper No./Mail Date 01/11/05, 03/10/05</li> </ol>	7. Examiner's Amend	menvComment
4. Examiner's Comment Regarding Requirement for Deposit		ent of Reasons for Allowance
of Biological Material	9. 🗌 Other	

1. Claims 7-8 are allowed.

2. The following is an examiner's statement of reasons for allowance: No reference was found anticipating or a combination of references found making obvious an apparatus for density measurement of soil characterized in determining a regression between wet density and real impedance, a regression between the unit weight of water and capacitance/resistance ratio, and determining the dry density based on the regression equations.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Marina Kramskaya whose telephone number is (571)272-2146. The examiner can normally be reached on M-F 7:00-4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Edward Lefkowitz can be reached on (571)272-2180. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/644,393

Art Unit: 2858

Page 3

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

MK

ANJAN DEB

Marina Kramskaya

Examiner Art Unit 2858